

Amendments to the Claims

This listing of claims will replace all prior listings of claims in the application.

Listing of Claims

1. (Currently Amended) A method for culling small objects in a system for shading 3-dimensional computer graphics images, comprising the steps of:

subdividing a display on which an image is to be viewed into a plurality of rectangular areas;

~~for each rectangular area, deriving a list of objects in the image which may be visible in that rectangular area; and~~
~~using the list of objects to determine how the rectangular area should be shaded for display;~~

~~wherein the step of deriving a list of objects comprises the steps of:~~

determining maximum and minimum values for each object in the list in x and y directions;

~~for each object in the image, determining a bounding box from the maximum and minimum values of the x and y coordinates of the object;~~

determining a set of sampling points from the object from the maximum and minimum values;

surrounding the object with a bounding box;

determining ~~whether or not~~ if the bounding box ~~surrounding the object~~ covers any of the sampling points;

culling the object if the bounding box misses all of the sampling points;

testing each sampling point against each edge of the object if the bounding box does not miss all the sampling points; and

~~determining from the test performed by the testing step whether or not the object covers any sampling point; and~~

~~adding or rejecting the object from the list in~~
~~dependence on the result of the determination~~culling the
object if the object does not cover any sampling points.

2. (Original) A method according to claim 1 including the step of determining whether or not the separation of the sampling points in the x and y directions exceeds the resolution of the display; and adding or rejecting the object from the list in dependence on the result of the determination.

3. (Original) A method according to claim 2 in which the resolution of the display comprises the pixel separation of the display.

4. (Canceled)

5. (Previously Presented) The method according to claim 1 further including the step of, for each object, selecting only those rectangular areas which fall at least partially within the object's bounding box when determining whether or not that object is to be added to the list for a rectangular area.

6. (Previously Presented) A method for shading 3-dimensional computer graphics images comprising the steps of:

subdividing a display for an image into a plurality of rectangular areas;

for each object in the image, determining a bounding box of rectangular areas into which the object may fall;

testing edge information from each object against a consistent sample point in each rectangular area to determine whether or not the object falls into each of the rectangular areas in the bounding box; and

inserting the object in an object list for a rectangular area in dependence on the result of the determination;

wherein the step of testing edge information includes the step of shifting the edge information by a predetermined amount in dependence on the orientation of each edge.

7. (Original) A method according to claim 6 in which the step of shifting edge information comprises shifting by either the vertical or horizontal dimension of a rectangular area.

8. (Original) A method according to claim 7 in which the shifting step is performed using a floating point calculation.

9. (Previously Presented) A method according to claim 6 in which the shifting step is performed with a safety margin whereby objects will be included in object lists for a rectangular area if the edge information falls close to a sampling point.

10. (Currently Amended) An apparatus for culling small objects in a system for shading a ~~three~~³-dimensional computer graphics ~~image~~images, comprising:

means for subdividing a display on which ~~the~~an image is to be viewed into a plurality of rectangular areas;

means for deriving ~~for each rectangular area~~ a list of objects in the image which may be visible in ~~that~~each rectangular area; ~~and~~

~~means for determining how the rectangular area should be shaded for display by using the list of objects;~~

~~wherein the means for deriving a list of objects comprises;~~

means for determining maximum and minimum values for ~~each~~an object in ~~X and Y~~the list in x and y directions;

~~means for determining, for each object in the image, a bounding box from the maximum and minimum values in the x and y directions;~~

means for determining a set of sampling points for the object from the maximum and minimum values;

~~means for determining whether or not the bounding box surrounding the object covers any of the sampling points~~with a bounding box;

means for determining if the bounding box covers any of the sampling points;

means for culling the object if the bounding box misses all of the sampling points;

means for testing each sampling point against each edge of the object if the bounding box does not miss all of the sampling points; and

means for ~~determining from the test performed by the testing means whether or not~~culling the object ~~covers any sampling point;~~ and

~~means for adding or rejecting if the object from the list in dependence on the result of the determination~~does not cover any sampling points.

11. (Original) The apparatus according to claim 10 including means for determining whether or not the separation of the sampling points in the X and Y directions exceeds the resolution of the display; and means for adding or rejecting the object from the list in dependence on the result of the determination.

12. (Original) Apparatus according to claim 11 in which the resolution of the display comprises the pixel separation of the display.

13. (Canceled)

14. (Previously Presented) The apparatus according to claim 10 further including means for selecting for each object only those rectangular areas which fall at least partially within the bounding box of the object when determining whether or not that object is to be added to the list for a rectangular area.

15. (Previously Presented) Apparatus for shading a three-dimensional computer graphics image comprising:

means for subdividing a display for an image into a plurality of rectangular areas;

means for determining for each object in the image a bounding box of rectangular areas into which the object may fall;

means for testing edge information from each object against a consistent sample point in each rectangular area to determine whether or not the object falls into each of the rectangular areas in the bounding box; and

means for inserting the object in an object list for a rectangular area in dependence on the result of the determination;

wherein the means for testing edge information includes means for shifting the edge information by a predetermined amount in dependence on the orientation of each edge.

16. (Original) An apparatus according to claim 15 in which the means for shifting edge information comprises means for shifting by either the vertical or horizontal dimension of a rectangular area.

17. (Original) An apparatus according to claim 16 in which the shifting means uses a floating point calculation.

18. (Previously Presented) Apparatus according to claim 15 in which the shifting means uses a safety margin whereby objects will be included in object lists for a

rectangular area if the edge information falls close to a sampling point.

19. (Previously Presented) The method according to claim 1 including the step of determining whether or not the sampling points are spread by more than 1 x 1 pixel and not testing the object for culling if the sampling points exceed this limit.

20. (Previously Presented) The apparatus according to claim 10 further including means for determining whether or not the sampling points are spread by more than 1 x 1 pixel in the x and y directions; and not testing the object for culling if the sampling points exceed this limit.